ORM PRO 1449

(37 CFR § 1.98(b))

U.S. Department of Commerce Patent and Trademark Office Attorney Docket No.: UCSD-04742

Serial No.: 09/235,416

ON DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

Applicant: Roman Sakowicz et al.

Filing Date: 01/22/99

Group Art Unit:

(3) (3)				U.S. PATENT DOCUMENTS			00/29
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	Fring Date
A	1	4,366,241	12/28/82	Tom	435	7.91	8/7/80
19	2	4,376,110	3/8/83	David	435	5	8/4/80
	· 3	4,391,904	7/5/83	Litman	435	7.91	4/17/81
	4	4,469,863	9/4/84	Ts'o	536	24.5	11/12/80
	5	4,517,288	5/14/85	Giegel	435	5	1/23/81
	6	4,683,195	7/28/87	Mullis	435	6	2/7/86
	7	4,683,202	7/28/87	Mullis	435	91.2	10/25/85
	8	4,736,866	4/12/88	Leder	800	10	6/22/84
	9	4,816,567	3/28/89	Cabilly	530	387.3	4/8/83
	10	4,837,168	6/6/89	de Jaeger	436	533	12/15/86
	11	4,870,009	9/26/89	Evans	435	69.4	15/15/83
	12	5,034,506	7/23/91	Summerton	528	391	12/20/89
	13	5,216,141	6/1/93	Benner	536	27.13	6/6/88
	14	5,235,033	8/10/93	Summerton	528	391	12/20/89
	15	5,283,173	2/1/94	Fields	435	6	1/24/90
	16	5,386,023	1/31/95	Sanghvi	536	25.3	3/31/93
	17	5,468,614	11/21/95	Fields	435	6	1/1/94
	18	5,525,490	6/11/96	Erickson	435	9	3/29/94
	19	5,545,806	8/13/96	Lonberg	800	6	12/16/92
	20	5,545,807	8/13/96	Surani	800	6	8/5/94
	21	5,569,825	10/29/96	Lonberg	800	18	12/17/91
	22	5,602,240	2/11/97	De Mesmaeker	536	22.1	4/25/94
	23	5,625,126	4/29/97	Lonberg	800	18	12/7/94
	24	5,633,425	5/27/97	Lonberg	800	18	2/5/92
	25	5,637,463	6/10/97	Dalton	435	6	5/4/95
	26	5,637,684	6/10/97	Cook	536	23.1	2/23/94
	. 27	5,644,048	7/1/97	Yau	536	25.3	12/18/92
<del></del>	28	5,661,016	8/26/97	Lonberg	435	452	4/26/93
1/2	29	5,667,973	9/16/97	Fields	435	6	6/7/95
	ı *´_	<u> </u>	<u> </u>	OR PUBLISHED FOREIGN PATENT APPLIC	CATIONS		
		Tre					Translation
		Document Number	Publication Date	Country / Patent Office	Class	Subclass	Yes No

Examiner:

Date Considered:

**EXAMINER:** 

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.




U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UCSD-04742

Serial No.: 09/235.416

Applicant: Roman Sakowicz et al. N DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) Filing Date: 01/22/99 Group Art Unit: (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Akerstrom et al., "Protein G: a powerful tool for binding and detection of monoclonal and polyclonal antibum (1985); Altschul et al., "Basic local alignment search tool," J Mol Biol. 215:403-10 (1990); 32 W y Donah 33 Asai (ed.), Methods in Cell Biology Volume 37 San Diego: Academic Press (1993) not supplied; Ausubel et al. (eds.) Current Protocols in Molecular Biology New York: Wiley (1994) not supplied; 34 Batzer et al., "Enhanced evolutionary PCR using oligonucleotides with inosine at the 3'-terminus," Nucleic Acids Res. 19:5081 (1991); 35 Beaucage and Caruthers, "Optimistic about antisense," Tetrahedron Letts 22:1859-1862 (1981); 36 Beaucage and lyer, "The functionalization of oligonucleotides via phosphoramidite derivatives," Tetrahedron 49:1925 (1993); 37 Benton and Dayis, "Screening lambdagt recombinant clones by hybridization to single plaques in situ," Science. 196:180-2 (1977); 38 Boerner et al., "Production of antigen-specific human monoclonal antibodies from in vitro-primed human splenocytes," J Immunol. 39 147:86-95 (1991); Bradley, "Production and agalysis of chimeric mice," in Teratocarcinomas and Embryonic Stem Cells: A Practical Approach Robertson (ed.) 40 Oxford: IRL Press Limited, pg. 113-152 (1987); Brill et al., "Synthesis of oligodeoxynucleoside phosphorodithioates via thioamidites," J Am Chem Soc 111:2321-2322 (1989); 41 Chien et al., "The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest," Proc Natl Acad Sci U S A. 88:9578-82 (1991); 42 Clark-Curtiss and Curtiss, "Analysis of recombigant DNA using Escherichia coli minicells," in Methods Enzymol. Wu et al., (eds.) 43 Cole et al., "The EBV-hybridoma technique and its application to human lung cancer," in Monoclonal Antibodies and Cancer Therapy, 44 Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss, Inc. (1985) Colley et al., "Conversion of a Golgi apparatus sialyltransferase to a secretory protein by replacement of the NH2-terminal signal anchor with a signal peptide," J Biol Chem. 264:17619-22 (1989); 45 Coligan (ed.), Current Protocols in Immunology, New York: Greene Rublishing Associates and Wiley-Interscience (1991) not supplied; 46 Dang et al., "Intracellular leucine zipper interactions suggest c-Myc hetero-aligomerization," Mol Cell Biol. 11:954-62 (1991); 47 DeMesmacker et al., "Comparison of rigid and flexible backbones in antisense digonucleotides," Bioorganic and Medicinal Chem Lett 48 4:395-398 (1994); Dempcy et al., "Synthesis of a thymidyl pentamer of deoxyribonucleic guanidine and binding studies with DNA homopolynucleotides," Proc Natl Acad Sci U S A. 92:6097-101 (1995); 49 Deutscher (ed.) Methods in Enzymology vol. 182, San Diego: Academic Press, Inc. (1990) no supplied; 50 Eckstein (ed.) Oligonucleotides and Analogues: A Practical Approach, New York: IRL Press (1991) not supplied; 51 Am Chem Soc 114:1895-1897 Egholm et al., "Peptide nucleic-acids (pna): oligonucleotide analogs with an achiral peptide backbone," 52 Fearon et al., "Karyoplasmic interaction selection strategy: a general strategy to detect protein-protein interactions in mammalian cell," Proc 53 Natl Acad Sci U S A. 89:7958-62 (1992); Feng and Doolittle, "Progressive sequence alignment as a prerequisite to correct phylogenetic trees," J Mol Evol.25:351-68 (1987); 54 Fields and Song, "A novel genetic system to detect protein-protein interactions," Nature. 340:245-6 (1989); 55 Fishwild et al., "High-avidity human IgG kappa monoclonal antibodies from a novel strain of minilocus transgenic mice," Nat Bioleshnol. 56 14:845-51 (1996); 57 Gao and Jeffs, "Unusual conformation of a 3'-thioformacetal linkage in a DNA duplex," J Biomol NMR. 4:17-34 (1994); Goding, Monoclonal Antibodies: Principles and Practice, 2nd edition, Orlando: Academic Press (1986) not supplied; 58 Examiner: Date Considered: EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.





U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UCSD-04742

Serial No.: 09/235,416

ATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: Roman Sakowicz et al.

Filing Date:	01/22/99	Group A

7 CFR § 1.98(b))		Filing Date: 01/22/99	Group Art Unit:						
^	OTHER DOCUMENTS (Including Author, Title, D	Date, Relevant Pages, Place of Publication)							
89	Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," Nature 368:856-9 (1994);								
90	Mag et al., "Synthesis and selective cleavage of an oligodeox Nucleic Acids Res 19:1437-41 (1991);	synucleotide containing a bridged internucle	otide 5'-phosphorothioate linkage						
9	Maggio (ed.) Enzyme Immunoassay Boca Raton, FL: CRC Po	ress (1980) not supplied;							
92	Marks et al., "By-passing immunization. Human antibodies fr	rom V-gene libraries displayed on phage," J	Mol Biol 222:581-97 (1991);						
93	Marks et al., "By-passing immunization: Building high affinit	ty human antibodies by chain shuffling," Bio	otechnology 10:779-83 (1992);						
94	Meier and Engels, "Peptide nucleic-acids (pnas): unusual properties of nonionic oligonucleotide analogs," Angewandte Chemie (Int Ed Engl. 31:1008-(010 (1992);								
95	Milstein and Cuello, "Hybrid hybridomas and their use in immunohistochemistry," Nature 305:537-40 (1983);								
96	Monroe et al., Amer Clin Prod Rev 5:34-41 (1986) not suppli	ied;							
97	Morrison, "Transformation in Escherichia coli: cryogenic preservation of competent cells," J Bacteriol 132:349-51 (1977);								
98	Morrison, "Immunology. Success in specification," Nature 368:812-3 (1994);								
99	Mosbach et al., "Formation of proinsulin by immobilized Bacillus subtilis," Nature 302:543-5 (1983);								
100	Nazar and Wong, "Is the 5S RNA a primitive ribosomal sequence? Proc Natl Acad Sci U S A 82:5608-11 (1985);								
101	Needham-VanDevanter et al., "Characterization of an adduct Res 12:6159-68 (1984);	between CC-1065 and a defined oligodeoxy	ynucleotide duplex," Nucleic Acid						
102	Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence of two proteins," J Mol Biol 48:443-53 (1970);								
103	Neuberger, "Generating high-avidity human Mabs in mice," Nat Biotechnol 14:826 (1996);								
104	Ohtsuka et al., "An alternative approach to deoxyoligonucleo positions," J Biol Chem 260:2605-8 (1985);	tides as hybridization probes by insertion of	f deoxyinosine at ambiguous code						
105	Palva et al., "Secretion of interferon by Bacillus subtilis," Ge	ne 22:229-35 (1983);							
106	Paul (ed.) Fundamental Immunology 3rd edition, New York:	Raven Press (1993) not supplied;	<u>.                                    </u>						
. 107	Pauwels et al., "Biological-activity of new 2-5a analogs," Cha	Pauwels et al., "Biological-activity of new 2-5a analogs," Chemica Scripta 26:141-145 (1986);							
108	Pearson and Lipman, "Improved tools for biological sequence	Pearson and Lipman, "Improved tools for biological sequence comparison," Proc Natl Acad Sci U S A 85:2444-8 (1988);							
109	Pearson and Reanier, "High-performance anion-exchange chromatography of oligonucleotides," J Chrom 255:137-149 (1983);								
110	Presta, "Antibody engineering," Curr Opin Struct Biol 2:593-	Presta, "Antibody engineering," Curr Opin Struct Biol 2:593-596 (1992);							
111	Rawls, "Optimistic about antisense," Chemical & Engineering News 75:35-39 (1997);								
112	Riechmann et al., "Reshaping human antibodies for therapy," Nature 332:323-7 (1988);								
113	Rossolini et al., "Use of deoxyinosine-containing primers vs degenerate primers for polymerase chain reaction based on ambiguous sequence information," Mol Cell Probes 8:91-8 (1994);								
114	Sambrook et al.(eds.), Molecular Cloning: A Laboratory Manual 2nd edition, New York: Cold Spring Parbor Laboratory (1989) not supplied;								
115	Sanghvi and Cook (eds.) <u>Carbohydrate Modifications in Antisense Research</u> , ASC Symposium Series 580, Washington, DC: ACS Publications (1994) not supplied;								
116	Sawai, "Synthesis and properties of oligoadenylic acids conta	nining 2'-5' phosphoramide linkage," Chem	Lett pp.805-808 (1984) not suppl						
117	Singer et al., "Optimization of in situ hybridization using isotopic and non-isotopic detection methods," Biotechniques 4:230-230 (1986)								
118	Smith and Waterman, "Comparison of biosequences," Adv Ap	ppl Math 2:482 (1981);	<u>£</u>						
		Date Considered:	CENT						
kaminer:									

U.S. Department of Commerce Serial No.: 09/235,416 Attorney Docket No.: UCSD-04742 Patent and Trademark Office TION DISCLOSURE STATEMENT BY APPLICANT Applicant: Roman Sakowicz et al. (Use Several Sheets If Necessary) Filing Date: 01/22/99 Group Art Unit: (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Sprinzl et al., "Enzymatic incorporation of ATP and CTP analogues into the 3' end of tRNA," Eur J Biochem 81:579-89 (1977); 119 Stewart et al., "Direction of microtubule movement is an intrinsic property of the motor domains of kinesin heavy chain and Drosophila ncd protein," Proc Natl Acad Sci U S A 90:5209-13 (1993); 120 Sites and Terr (eds.) Basic and Clinical Immunology 7th edition, Norwalk: Appleton and Lange (1991) not supplied; 121 "Bispecific monoclonal antibodies from hybrid hybridomas," Methods Enzymol 121:210-28 (1986); 122 Thomas and Capecchi, "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells," Cell 51:503-12 (1987); 123 Tijssen, Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization with Nucleic Acid Probes Vol. 24, Amsterdam: Elsevier (1993) not supplied; 124 Traunecker et al., "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," EMBO J 10:3655-9 125 (1991): Vale et al., "Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility," Cell 42:39-50 (1985); 126 Vasavada et al., "A contingent replication assay for the detection of protein-protein interactions in animal cells," Proc Natl Acad Sci U S A 127 88:10686-90 (1991); Verhoeyen et al., "Reshaping human antibodies: grafting an antilysozyme activity," Science 239:1534-6 (1988); 128 Vonkiedrowski et al., "Parabolic growth of a self-replicating hexadeoxynucleotide bearing a 3',5'-phosphoamidate linkage," Angewandte Chemie-International Edition in English 30:423-426 (1991); 129

Examiner:

EXAMINER:

130

131

132

133

(1981);

Ibital citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form

Webster, Introduction to Fungi Cambridge: Cambridge University Press (1970) not supplied;

synthetic oligonucleotides complementary to viral RNA," Proc Natl Acad Sci U S A. 83:4143-6 (1986).

Wallace et al., "A set of synthetic oligodeoxyribonucleotide primers for DNA sequencing in the plasmid vector pBR322," Gene 16:21-6

Ward et al., "Binding activities of a repertoire of single immunoglobulin variable domains secreted from Escherichia coli," Nature 341(6242):544-6 (1989);

Zamecnik et al., "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous

Date Considered:

with next communication to applicant.

TECH CENTER 1600/290